



Solution details		Sentera products									
<p>In automatic mode, the EC fan will be controlled based on the pressure level. The setpoint can be entered in the RDCV. In manual mode, the rotational speed of the fan can be manually controlled via the RDCV controller. There is a possibility to temporarily manually overrule the fan in automatic mode.</p> <p>Suited for motor type: 230 VAC EC motor with 0-10 VDC, 0-20mA or PWM control input.                      Motor control: Demand controlled ventilation in function of the indoor air quality</p>		<table border="1"> <thead> <tr> <th>Article code</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>DHDR8-24/36</td> <td>24 VDC power supply</td> </tr> <tr> <td>RDCV9-AD-WH</td> <td>Electronic controller</td> </tr> <tr> <td>HPS-G--LP</td> <td>Differential pressure, air flow sensor</td> </tr> </tbody> </table>	Article code	Description	DHDR8-24/36	24 VDC power supply	RDCV9-AD-WH	Electronic controller	HPS-G--LP	Differential pressure, air flow sensor	
Article code	Description										
DHDR8-24/36	24 VDC power supply										
RDCV9-AD-WH	Electronic controller										
HPS-G--LP	Differential pressure, air flow sensor										
		External products									
		EC fan with 0-10 VDC, 0-20mA or PWM control									

Consult the fan manufacturer for the correct wiring